



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/733,856	12/11/2003	Frederic Hayem	16106US02	8105
23446 7590 04/28/2008 MCANDREWS HELD & MALLOY, LTD 500 WEST MADISON STREET SUITE 3400 CHICAGO, IL 60661				
EXAMINER				
CASCA, FRED A				
ART UNIT		PAPER NUMBER		
2617				
MAIL DATE		DELIVERY MODE		
04/28/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/733,856

Applicant(s)

HAYEM ET AL.

Examiner

FRED A. CASCA

Art Unit

2617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 January 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/C)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____
- 7) ☐ Paper No(s)/Mail Date _____

DETAILED ACTION

1. This action is in response to applicant's amendment filed on January 18, 2008. Claims 1-43 are still pending in the present application.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 6, 7, 13, 16, 25, 26 32, 36 41 and 42 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claims 6, 7, 13, 16, 25, 32, 36 41 and 42 recite the limitation "additional timer value". There is insufficient explanation of how the additional timer value pertains to the second wireless communication network. There is no mention of "additional timer value" in the specification, let alone any explanation of how the "additional timer value" pertains to the second wireless communication network.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-5, 8-12, 14-18, 20-24 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Neumann et al (U.S. Pub. No. 2002/0141441 A1), in view of Jarvis (US 5,918,040).

Referring to claim 1, Neumann discloses a multi-mode wireless communication device (abstract, and paragraph 4), comprising

a host baseband processor configured to operate in accordance with a first wireless communications protocol of a first wireless communications system (figures 2-8B, paragraphs 19-21, "first and second baseband processors", "GSM", "TDMA"),

and a baseband co-processor configured to operate in accordance with a second wireless communications protocol of a second wireless communications system (figures 2-8B, paragraphs 19-21, 38, 34, 30, 25, "first and second baseband processors", "GSM", "TDMA").

Neumann does not specifically disclose the host baseband processor enabling timing synchronization between the first and second wireless communication systems on the basis of timing information transferred to the host baseband processor from the baseband co-processor as claimed.

Jarvis discloses a processor enabling timing synchronization between two network systems on the basis of timing information sent from another processor (Figures 1-5b, abstract, col. 2, lines 7-21 and 45-65, col. 3, and lines 35-67).

It would have been obvious to one of the ordinary skill in the art the time of invention to modify the device of Neumann as claimed by incorporating the teachings of Jarvis, for the purpose of providing a reliable and efficient communication system.

Referring to claim 2, the combinations of Neumann/Jarvis disclose the device of claim 1.

Neumann does not disclose the host baseband processor comprising circuitry for issuing, from the host baseband processor, a timer capture interrupt to the baseband co-processor during a predetermined timer phase of said first wireless communication system as claimed.

Jarvis discloses a processor having circuitry for issuing a timer capture interrupt to the another processor during a predetermined timer phase (Figures 1-5b, abstract, col. 2, lines 7-21 and 45-65, col. 3, and lines 35-67).

It would have been obvious to one of the ordinary skill in the art the time of invention to modify the device of Neumann as claimed by incorporating the teachings of Jarvis, for the purpose of providing a reliable and efficient communication system.

Referring to claim 3, the combinations of Neumann/Jarvis disclose the device of claim 2, and further disclose said baseband co-processor is configured to provide at least one timer value pertinent to a timing state of said second wireless communications system to said host baseband processor in response to issuance of said timer capture interrupt (Jarvis, Figures 2-5b and col. 3, lines 59-63, col. 4, lines 1-44, col. 5, lines 1-16, "master M issues to the slave S, a data packet containing a synchronization request and its current time value M_0 ", " S_0 "), said host baseband processor enables determining of a timing difference between said first and second wireless communication systems based upon said predetermined timer phase and said at least one timer value (Jarvis, Figures 2-5b, col. 4, lines 1-45).

It would have been obvious to one of the ordinary skill in the art the time of invention to modify the device of Neumann as claimed by incorporating the teachings of Jarvis, for the purpose of providing a reliable and efficient communication system.

Referring to claim 4, the combination of Neumann/Jarvis disclose the multi-mode communications device of claim 1, and further disclose the baseband processor comprising circuitry for reading a current value of at least one timer maintained by baseband co-processor consistent with said second wireless communications protocol (Jarvis, Figures 1-5b, abstract, col. 2, lines 7-21 and 45-65, col. 3, and lines 35-67).

Referring to claim 5, the combination of Neumann/Jarvis disclose the device of claim 1, and further disclose host baseband processor further includes a higher-layer processing module and a modem (inherent) for interfacing with said first wireless communication system, said higher-layer processing module being operatively coupled to said modem and to a baseband interface of said baseband co-processor (Neumann, figures 2-8B, paragraphs 20-21, “master processor controls a variety of shared functions ... for example ... “display, keypad”, “GSM master processor controls audio input/output”).

Referring to claim 8, the combination of Neumann/Jarvis disclose the device of claim 1, and further disclose host baseband processor includes a higher-layer processor configured to effect higher-layer processing of information processed by said baseband co-processor (Neumann, paragraphs 20-21).

Referring to claim 9, claim 9 defines a timing synchronization method reciting features analogous to the features of the device of claim 1 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claim 9 (please see the rejection of claim 1 above).

Referring to claim 10, claim 10 defines a method reciting features analogous to the features of the device of claim 2 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claims 10 (please see the rejection of claim 2 above).

Referring to claim 11, claim 11 defines a method reciting features analogous to the features of the device of claim 3 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claims 11 (please see the rejection of claim 3 above).

Referring to claim 12, claim 12 defines a method reciting features analogous to the features of the device of claim 4 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claim 12 (please see the rejection of claim 4 above).

Referring to claim 14, claim 14 defines a method reciting features analogous to the features of the device of claim 8 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claim 14 (please see the rejection of claim 8 above).

Referring to claim 15, Neumann discloses a method for wireless communication (Abstract, figures 2-8B), the method comprising:

a multi-mode communication device (abstract, and paragraph 4, "dual mode"), a first wireless communication system (figures 2-8B, paragraphs 21-24, "GSM network", "TDMA IS-136 network"), wherein said multi-mode communication device communicates via a first wireless protocol with said first wireless communication system (figures 2-8B abstract, and paragraph 4, 6, 9, 19-24, "first and second baseband processors", "GSM", "TDMA" "dual mode"), and said multi-mode communication device communicates via a second wireless protocol with a second wireless communication system (figures 2-8B abstract, and paragraph 4, 6, 9, 19-24, "first and second baseband processors", "GSM", "TDMA" "dual mode").

Neumann does not specifically discuss synchronization details e.g., generating a timer capture interrupt during a predetermined timing phase of a first wireless communication system, storing a timer value of at least one time pertinent to operation of the second wireless communication system in response to the timer capture interrupt; reading the timer value; and determining a timing relationship between the first and second wireless communication systems based upon the timer value in the format claimed by applicant.

Jarvis discloses generating a timer capture interrupt during a predetermined timing phase of a first communication system (Figures 2-5b and col. 3, lines 59-63, col. 4, lines 1-44, col. 5, lines 1-16, "master M issues to the slave S, a data packet containing a synchronization request and its current time value M_0 "), storing a timer value of at least one time pertinent to operation of said second wireless communication system in response to said timer capture interrupt (Figures 2-5b, col. 3, lines 64-67, col. 4, lines 1-44, col. 5, lines 1-16, " S_0 "); reading said timer value (Figures 2-5b, col. 3, lines 64-67, col. 4, lines 1-44, col. 5, lines 1-16, "compares the issued master time value", note that comparing implies reading); and determining a timing relationship between said first and second wireless communication systems based upon said timer value (Figures 2-5b, col. 3, lines 64-67, col. 4, lines 1-44, col. 5, lines 1-16).

It would have been obvious to one of the ordinary skill in the art the time of invention to modify the device of Neumann as claimed by incorporating the teachings of Jarvis, for the purpose of providing a reliable and efficient communication system.

Referring to claim 16, the combinations of Neumann/Jarvis disclose the method of claim 15, and further disclose an additional timer value of at least one other timer pertinent to operation of the second wireless communication system in response to said timer capture interrupt; reading said additional timer value, said timing relationship being based at least in part upon said additional timer value as claimed by applicant (Jarvis, Figures 2-5b and col. 3, lines 59-63, col. 4, lines 1-44, col. 5, lines 1-16, "M₀", "S₀", "S₁", "slave S increments its timer value to a new value S₁").

It would have been an obvious design choice to modify the method of Neumann as claimed, for the purpose of providing an efficient communication method.

Referring to claim 17, the combinations of Neumann/Jarvis disclose the method of claim 15 and further disclose one or more timers being incremented pursuant to operation of the first wireless communication system, determining a timing relationship including comparing at least one value of the one or more timers with the timer value (Jarvis, Figures 2-5b, col. 3, lines 64-67, col. 4, lines 1-44, col. 5, lines 1-16).

Referring to claim 18, the combinations of Neumann/Jarvis disclose the method of claim 15, and further disclose said first wireless communications system operates in accordance with a first wireless communications protocol and said second wireless communications system operates in accordance with a second wireless communications protocol different from said first wireless communications protocol (Neumann, abstract, and paragraphs 2-9, TDMA, GSM).

Referring to claim 20, claim 20 defines a multi-mode wireless communication device reciting features analogous to the features of the device of claim 1 (as rejected above). Thus, the

Art Unit: 2617

combinations of Neumann/Jarvis disclose all elements of claims 20 (please see the rejection of claim 1 above).

Referring to claim 21, claim 21 defines a multi-mode wireless communication device reciting features analogous to the features of the device of claim 2 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claims 21 (please see the rejection of claim 2 above).

Referring to claim 22, claim 22 defines a multi-mode wireless communication device reciting features analogous to the features of the device of claim 3 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claims 22 (please see the rejection of claim 3 above).

Referring to claim 23, the combination of Neumann/Jarvis discloses the multi-mode communications device of claim 21, and further disclose wherein said one or more of: said host baseband processor, said baseband co-processor and said additional circuitry comprises circuitry for reading a current value of at least one timer consistent with said second wireless communications protocol (Jarvis, Figures 1-5b, abstract, col. 2, lines 7-21 and 45-65, col. 3, and lines 35-67).

Referring to claims 24 and 27; claims 24 and 27 define a device reciting features analogous to the features of the device of claims 5 and 8 (as rejected above). Thus, the combinations of Neumann/Jarvis disclose all elements of claims 24 and 27 (please see the rejection of claims 5 and 8 above).

6. Claims 6, 13, 19 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Neumann et al (U.S. Pub. No. 2002/0141441 A1), in view of Jarvis (US 5,918,040), and further in view of well known prior art (MPEP 2144.03).

Referring to claim 6, the combination of Neumann/Jarvis disclose the device of claim 3, and further disclose baseband co-processor including first and second registers adapted to store said at least one timer value and an additional timer value pertinent to said second wireless communications protocol (Jarvis, Figures 2-5b and col. 3, lines 59-63, col. 4, lines 1-44, col. 5, lines 1-16, "master M issues to the slave S, a data packet containing a synchronization request and its current time value M_0 ", " S_0 ", " S_1 ", "slave S increments its timer value to a new value S_1 ").

The combination does not specifically disclose the second wireless communication protocol comprises WCDMA.

The examiner takes official notice of the fact that WCDMA networks and protocols are well known in the art.

It would have been obvious to one of the ordinary skill in the art at the time of invention to modify the combination as claimed for the purpose of providing a robust multimode device satisfying users subscribed to WCDMA networks.

Referring to claims 13 and 25; claims 13 and 25 define a device reciting features analogous to the features of the device of claim 6 (as rejected above). Thus, the combinations of Neumann/Jarvis and well-known art disclose all elements of claims 13 and 25 (please see the rejection of claim 6 above).

Referring to claim 19, the combination of Neumann/Jarvis discloses the method of claim 18 and further discloses said first wireless communications protocol comprises GSM (Neumann, par 21 and 33).

The combination does not specifically disclose the second wireless communication protocol comprises WCDMA.

The examiner takes official notice of the fact that WCDMA networks and protocols are well known in the art.

It would have been obvious to one of the ordinary skill in the art at the time of invention to modify the combination as claimed for the purpose of providing a robust multimode device satisfying users subscribed to WCDMA networks.

7. Claims 7 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Neumann et al (U.S. Pub. No. 2002/0141441 A1), in view of Jarvis (US 5,918,040), further in view of well known prior art (MPEP 2144.03), and still further in view of Kawai (US 2002/0186754 A1).

Referring to claim 7, the combination of Neumann/Jarvis and well-known art disclose the multi-mode communications device of claim 6.

The combination does not specifically disclose one timer value corresponding to a slot counter and the additional timer value corresponding to a sample counter, as claimed.

Kawai discloses a slot counter for counting in synchronization with slot timing and a sample counter for counting each sample time and adjusting the count value (paragraphs 32 and 59).

It would have been obvious to one of the ordinary skill in the art at the time of invention to modify the combination as claimed, for the purpose of providing a more efficient communication device.

Referring to claim 26, claim 26 defines a device reciting features analogous to the features of the device of claim 7 (as rejected above). Thus, the combinations of Neumann/Jarvis/Kawai and well known art disclose all elements of claim 26 (please see the rejection of claim 7 above).

8. Claims 28-43 are rejected for the same reasons/arguments that claims 1-27 were rejected since claims 28-43 have the same patentable subject matter as those of claims 1-27.

Response to Arguments

9. Applicant's arguments with respect to claims 1-27 have been considered but are moot in view of the new ground(s) of rejection.

Even though examiner had objected to claims 3, 6, 7, 11, 13 and 22 for comprising allowable subject matter, claims are always subject to further search and consideration. Therefore, after further search and consideration the objected claims are rejected in view of new grounds of rejection. New independent claims 28, 34 and 38 contain the same patentable subject matter found in the combination of claims 1-3. Thus, claims 28, 34 and 38 are rejected for the same reasons/arguments that were made in the rejection of claims 1-3.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred A. Casca whose telephone number is (571) 272-7918. The examiner can normally be reached on Monday through Friday from 9 to 5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Harper, can be reached at (571) 272-7605. The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/VINCENT P. HARPER/

Supervisory Patent Examiner, Art Unit 2617